



Air COMPONENTS

ALWAYS THE BEST PRICES!

YOUR ONE SOURCE FOR AC FITTINGS & HOSE SINCE 1984



ORINGS | SEALING WASHERS | GASKET | VALVE CORES | CAPS

Air Components & Manufacturing, Inc

908 East Impala Ave | Mesa, Arizona 85204

480-507-2229 | Toll Free 800-278-0788 | FAX 480-892-7474

Website : www.aircomponents.com | Email : Info@aircomponents.com

Contents

ALL KITS

233-3180 Air Tech Master O-Ring Kit,..... Pg. 1

233-3176, 233-3177, 233-3178, 233-3179, 233-5024, 233-3170, 233-5075

233-3181 Master Sealing Washer, Gasket, Valve Core/Cap and 1234yf Cap & Core Kit, Pg. 2

233-3000, 233-6034, 233-6101, 233-6030, 233-7010

O-RING

233-3176 Smaller O-Ring Kit Pg. 3-5

233-3177 Medium O-Ring Kit Pg. 6-8

233-3178 Large O-Ring Kit Pg. 9-10

233-3179 Most Popular O-Ring Kit Pg. 11-13

SEALING WASHER

233-5075 Sealing Washer Assortment Startup Kit Pg.14

233-3000 Sealing Washer Master Kit (48 Compartment) Pg.15-17

GASKET

233-5024 Chrysler Metal Gasket Master Kit..... Pg.18-19

VALVE CORE & CAPS

233-6034 Valve Core & Cap Master Kit Pg.20-21

233-6030 Service Cap Assortment Master Kit Pg.22

233-7010 Valve Core Assortment Master Kit Pg.23

233-6101 1234yf Service Caps & Valve Core Master Kit Pg.24-25

SPRING LOCK

233-3170 Springlock & O-Ring Kit (Chrysler/Ford 60 Pieces) Pg.26

All Kits



233-3180

**AIR TECH MASTER O-RING KIT
160 PART NUMBERS & 936 PIECES**

(INCLUDE KITS 233-3176, 233-3177, 233-3178, 233-3179)




233-3176

**O-RING MASTER KIT
48 COMPARTMENT
(SMALLER SIZES)**




233-3177

**O-RING MASTER KIT
48 COMPARTMENT
(MEDIUM SIZES)**



233-3178

**O-RING MASTER KIT
24 COMPARTMENT
(LARGER SIZES)**



233-3179

**O-RING START UP KIT
48 COMPARTMENT
(MOST POPULAR SIZE)**



233-5024

**CHRYSLER METAL GASKET
MASTER KIT**



233-3170

**SPRINGLOCK & O-RING KIT
CHRYSLER/FORD 60 PIECES**



233-5075

**SEALING WASHER
ASSORTMENT
STARTUP KIT**

All Kits



233-3181

**MASTER SEALING WASHER, GASKET,
VALVE CORE/CAP AND 1234YF CAP & CORE KIT**

(INCLUDE KITS 233-3000, 233-6101, 233-6034, 1 EMPTY TRAY)



233-3000

**SEALING WASHER
MASTER KIT
48 COMPARTMENT**



233-6034

**VALVE CORE
& CAP KIT**



233-6101

**1234YF UNIVERSAL
SERVICE CAPS AND
VALVE CORE KIT**



**MISCELLANEOUS
ITEMS**

(EMPTY BOX)



233-6030

**SERVICE CAP
ASSORTMENT KIT**



233-7010

**VALVE CORE ASSORTMENT
MASTER KIT**



233-3010

O-RING ACURA/CHRY/
GM/HONDA/LEXUS/RO
ID 0.173 (4.39MM)
OD 0.283 (7.19MM)



233-3010



233-3011

O-RING VIR LIQUID
BLEED LINE
ID 0.185 (4.7MM)
OD 0.297 (7.54MM)



233-3011



233-3012

O-RING
CAPILLARY TUBE
ID 0.176 (4.47MM)
OD 0.316 (8.03MM)



233-3012



233-3013

O-RING GM
OIL TUBE /FILL BOLT
ID 0.239 (6.07MM)
OD 0.379 (9.63MM)



233-3013



233-3014

O-RING PAD MOUNT
5 MM
ID 0.197 (5MM)
OD 0.353 (8.97MM)



233-3014



233-3015

O-RING THIN HOSE
6 MM BMW/MAZDA
ID 0.239 (6.07MM)
OD 0.367 (9.32MM)



233-3015



233-3016

O-RING CAPTIVE
6 MM
ID 0.236 (5.99MM)
OD 0.394 (10MM)



233-3016



233-3017

O-RING ORIFICE TUBE
ACU/CHRY/FORD/GM
ID 0.256 (6.5MM)
OD 0.378 (9.6MM)



233-3017



233-3020

O-RING CAPTIVE
7 MM FORD COMBO VALVE
ID 0.267 (6.60MM)
OD 0.40 (10.16MM)



233-3020



233-3021

O-RING CAPTIVE
6.5 MM GM/ACURA/HONDA
ID 0.252 (6.4MM)
OD 0.417 (10.41MM)



233-3021



233-3022

O-RING CAPTIVE
#6 (3/8 ")
ID 0.262 (6.65MM)
OD 0.468 (11.89MM)



233-3022



233-3023

O-RING TOYOTA
#5 HOSE FITTING
ID 0.276 (7MM)
OD 0.394 (10MM)



233-3023



233-3024

O-RING STANDARD
#6 (3/8 ")
ID 0.301 (7.65MM)
OD 0.441 (11.2MM)



233-3024



233-3025

O-RING ACU/FORD CV/GM/
HONDA/INF/JAG/LEX/MA
ID 0.266 (6.76MM)
OD 0.406 (10.31MM)



233-3025



233-3026

O-RING CAPTIVE
#6 (3/8 ")
ID 0.237 (6.02MM)
OD 0.445 (11.30MM)



233-3026



233-3027

O-RING ORIFICE TUBE
FORD/CHRY
ID 0.301 (7.65MM)
OD 0.430 (10.91MM)



233-3027



233-3028

O-RING PAD BLOCK MOUNT
5 MM
ID 0.26 (6.6MM)
OD 0.44 (11.18MM)



233-3028



233-3029

O-RING CAPTIVE
7 MM ROVER/SAAB
ID 0.271 (7MM)
OD 0.45 (11.43MM)



233-3029



233-3030

O-RING PRESSURE RELIEF
ACU/CHRY/FORD/HON
ID 0.315 (8MM)
OD 0.472 (12MM)



233-3030



233-3032

O-RING CAPTIVE
#6 (3/8 ") BMW/GM
ID 0.276 (7MM)
OD 0.466 (11.84MM)



233-3032



233-3033

O-RING METRIC
8 MM JAGUAR
ID 0.315 (8MM)
OD 0.441 (11.21MM)



233-3033



233-3034

O-RING METRIC
8 MM AUDI/VW
ID 0.315 (8MM)
OD 0.455 (11.56MM)



233-3034



233-3035

O-RING PRESSURE SWITCH
TOYOTA
ID 0.364 (9.25MM)
OD 0.504 (12.81MM)



233-3035



233-3036

O-RING HPRV VALVE
M10 GM/JAG
ID 0.331 (8.41MM)
OD 0.465 (11.81MM)



233-3036



233-3037

O-RING METRIC
9 MM AC/HONDA/JAG/SAAB
ID 0.341 (8.66MM)
OD 0.454 (11.66MM)



233-3037



233-3038

O-RING METRIC
9 MM THIN TOY/LEX/JAG
ID 0.351 (8.92MM)
OD 0.495 (12.58MM)



233-3038



233-3039

O-RING R12
CHRY/FORD/GM/SAAB
ID 0.351 (8.92MM)
OD 0.495 (12.58MM)



233-3039



233-3040

O-RING
CAPTIVE 9 MM
ID 0.35 (8.89MM)
OD 0.506 (12.85MM)



233-3040



233-3041

O-RING METRIC
10 MM
ID 0.394 (10MM)
OD 0.472 (12MM)



233-3041



233-3042

O-RING CAPTIVE
#8 (1/2 ") GM/BMW/OPEL
ID 0.362 (9.19MM)
OD 0.568 (14.43MM)



233-3042



233-3043

O-RING PAD BLOCK MOUNT
9 MM
ID 0.335 (8.51MM)
OD 0.571 (14.5MM)



233-3043



233-3044

O-RING SUCTION/DISCHARGE
GM OIL
ID 0.394 (10MM)
OD 0.591 (15MM)



233-3044



233-3045

O-RING CAPTIVE
#8 (1/2 ")
ID 0.364 (9.25MM)
OD 0.554 (14.07MM)



233-3045



233-3046

O-RING CAPTIVE
#8 (1/2 ") GM/MAZ/HYUN/SAAB
ID 0.414 (10.52MM)
OD 0.558 (14.17MM)



233-3046



233-3047

O-RING STANDARD
#8 HOSE FITTING
ID 0.426 (10.82MM)
OD 0.566 (14.38MM)




233-3047



233-3048

O-RING METRIC
10.5 MM GM/LEXUS/TOY
ID 0.417 (10.59MM)
OD 0.535 (13.59MM)



233-3048



233-3049

O-RING CAPTIVE
10 MM HYUND/ISU/JAG/SAAB
ID 0.386 (9.8MM)
OD 0.574 (14.58MM)



233-3049



233-3050

O-RING CAPTIVE #8 (1/2 ")
GM/MAZ/HYUN/SAAB
ID 0.394 (10MM)
OD 0.60 (15.24MM)



233-3050



233-3052

O-RING PAD BLOCK DRIER
10 MM
ID 0.375 (9.53MM)
OD 0.611 (15.52MM)



233-3052



233-3053

O-RING ORIFICE
GM/PPOT
ID 0.433 (11MM)
OD 0.554 (14.2MM)



233-3053

SMALLER SIZES (233-3176)



233-3054

O-RING DISCHGE DENSO
MANIF 10PA15C
ID 0.417 (10.59MM)
OD 0.605 (15.37MM)



233-3054



233-3055

O-RING LIQUID LINE
BMW/INF/NISS/OPEL/SAAB
ID 0.424 (10.77MM)
OD 0.630 (16.01MM)



233-3055



233-3056

O-RING CAPTIVE
11 MM SUBARU
ID 0.425 (10.8MM)
OD 0.615 (15.62MM)



233-3056



233-3057

O-RING CAPTIVE 11 MM
HON/MAZ/LROVER/GM
ID 0.433 (11MM)
OD 0.622 (15.8MM)



233-3057



233-3065

O-RING
#8 ATCO FIAT
ID 0.472 (12MM)
OD 0.59 (14.99MM)



233-3065



233-3145

O-RING CAPTIVE
#8 (1/2 ") DUAL
ID 0.394 (10MM)
OD 0.552 (14.02MM)



233-3145



233-3150

O-RING SPRINGLOCK #6 METRIC
CHRY/FORD/HYU/MAZ/JAG
ID 0.291 (7.38MM)
OD 0.433 (11MM)



233-3150



233-3155

O-RING SPRINGLOCK
#8 METRIC FORD
ID 0.40 (10.12 MM)
OD 0.546 (13.87MM)



233-3155


**O-Ring Master Kit 48 Compartment
(Smaller Sizes) 233-3176**

233-3010	O-RING ACURA/CHRY/GM/HONDA/LEXUS/RO ID 0.173 (4.39MM) OD 0.283 (7.19MM)	10 PK
233-3011	O-RING VIR LIQUID BLEED LINE ID 0.185 (4.7MM) OD 0.297 (7.54MM)	10 PK
233-3012	O-RING CAPILLARY TUBE ID 0.176 (4.47MM) OD 0.316 (8.03MM)	10 PK
233-3013	O-RING GM OIL TUBE/FILL BOLT ID 0.239 (6.07MM) OD 0.379 (9.63MM)	10 PK
233-3014	O-RING PAD MOUNT (5 MM) ID 0.197 (5MM) OD 0.353 (8.97MM)	10 PK
233-3015	O-RING THIN HOSE (6 MM) BMW/MAZDA ID 0.239 (6.07MM) OD 0.367 (9.32MM)	10 PK
233-3016	O-RING CAPTIVE (6 MM) ID 0.236 (5.99MM) OD 0.394 (10MM)	10 PK
233-3017	O-RING ORIFICE TUBE ACU/CHRY/FORD/GM ID 0.256 (6.5MM) OD 0.378 (9.6MM)	10 PK
233-3020	O-RING CAPTIVE (7 MM) FORD COMBO VALVE ID 0.267 (6.60MM) OD 0.40 (10.16MM)	10 PK
233-3021	O-RING CAPTIVE (6.5 MM) GM/ACURA/HONDA ID 0.252 (6.4MM) OD 0.417 (10.41MM)	10 PK
233-3022	O-RING CAPTIVE #6 (3/8 ") ID 0.262 (6.65MM) OD 0.468 (11.89MM)	10 PK
233-3023	O-RING TOYOTA #5 HOSE FITTING ID 0.276 (7MM) OD 0.394 (10MM)	10 PK
233-3024	O-RING STANDARD #6 (3/8 ") ID 0.301 (7.65MM) OD 0.441 (11.2MM)	10 PK
233-3025	O-RING ACU/FORD CV/GM/HONDA/INF/JAG/LEX/MA ID 0.266 (6.76MM) OD 0.406 (10.31MM)	10 PK
233-3026	O-RING CAPTIVE #6 (3/8 ") ID 0.237 (6.02MM) OD 0.445 (11.30MM)	10 PK
233-3027	O-RING ORIFICE FORD/CHRY ID 0.301 (7.65MM) OD 0.430 (10.91MM)	10 PK
233-3028	O-RING PAD BLOCK MOUNT 5MM ID 0.26 (6.6MM) OD 0.44 (11.18MM)	10 PK
233-3029	O-RING CAPTIVE (7 MM) ROVER/SAAB ID 0.271 (7MM) OD 0.45 (11.43MM)	10 PK
233-3030	O-RING PRESSURE RELIEF ACU/CHRY/FORD/HON ID 0.315 (8MM) OD 0.472 (12MM)	10 PK
233-3032	O-RING CAPTIVE #6 (3/8 ") BMW/GM ID 0.276 (7MM) OD 0.466 (11.84MM)	10 PK
233-3033	O-RING METRIC (8 MM) JAGUAR ID 0.315 (8MM) OD 0.441 (11.21MM)	10 PK
233-3034	O-RING METRIC (8 MM) AUDI/VW ID 0.315 (8MM) OD 0.455 (11.56MM)	10 PK
233-3035	O-RING PRESSURE SWITCH TOYOTA ID 0.364 (9.25MM) OD 0.504 (12.81MM)	10 PK
233-3036	O-RING HPRV VALVE M10 GM/JAG ID 0.331 (8.41MM) OD 0.465 (11.81MM)	10 PK
233-3037	O-RING METRIC (9 MM) AC/HONDA/JAG/SAAB ID 0.341 (8.66MM) OD 0.454 (11.66MM)	10 PK
233-3038	O-RING METRIC (9 MM) THIN TOY/LEX/JAG ID 0.351 (8.92MM) OD 0.495 (12.58MM)	10 PK
233-3039	O-RING R12 CHRY/FORD/GM/SAAB ID 0.351 (8.92MM) OD 0.495 (12.57MM)	10 PK
233-3040	O-RING CAPTIVE (9 MM) ID 0.35 (8.89MM) OD 0.506 (12.85MM)	10 PK
233-3041	O-RING METRIC (10 MM) ID 0.394 (10MM) OD 0.472 (12MM)	10 PK
233-3042	O-RING CAPTIVE #8 (1/2 ") GM/BMW/OPEL ID 0.362 (9.19MM) OD 0.568 (14.43MM)	10 PK
233-3043	O-RING PAD BLOCK MOUNT (9 MM) ID 0.335 (8.51MM) OD 0.571 (14.5MM)	10 PK
233-3044	O-RING SUCTION/DISCHARGE GM OIL ID 0.394 (10MM) OD 0.591 (15MM)	10 PK
233-3045	O-RING CAPTIVE #8 (1/2 ") ID 0.364 (9.25MM) OD 0.554 (14.07MM)	10 PK
233-3046	O-RING CAPTIVE #8 (1/2 ") GM/MAZ/HYUN/SAAB ID 0.414 (10.52MM) OD 0.558 (14.17MM)	10 PK
233-3047	O-RING STANDARD #8 (1/2 ") HOSE FITTING ID 0.426 (10.82MM) OD 0.566 (14.38MM)	10 PK
233-3048	O-RING METRIC (10.5 MM) GM/LEXUS/TOY ID 0.417 (10.59MM) OD 0.535 (13.59MM)	10 PK
233-3049	O-RING CAPTIVE (10 MM) HYUND/ISU/JAG/SAAB ID 0.386 (9.8MM) OD 0.574 (14.58MM)	10 PK
233-3050	O-RING CAPTIVE #8 (1/2 ") GM/MAZ/HYUN/SAAB ID 0.394 (10MM) OD 0.60 (15.24MM)	10 PK
233-3052	O-RING PAD BLOCK DRIER (10 MM) ID 0.375 (9.53MM) OD 0.611 (15.52MM)	10 PK
233-3053	O-RING ORIFICE GM/PPOT ID 0.433 (11MM) OD 0.554 (14.2MM)	10 PK
233-3054	O-RING DISCHGE DENSO MANIF 10PA15C ID 0.417 (10.59MM) OD 0.605 (15.37MM)	10 PK
233-3055	O-RING LIQUID LINE BMW/INF/NISS/OPEL/SAAB ID 0.424 (10.77MM) OD 0.630 (16.01MM)	10 PK
233-3056	O-RING CAPTIVE (11 MM) SUBARU ID 0.425 (10.8MM) OD 0.615 (15.62MM)	10 PK
233-3057	O-RING CAPTIVE (11 MM) HONDA/MAZDA/LROVER/GM ID 0.433 (11MM) OD 0.622 (15.8MM)	10 PK
233-3065	O-RING #8 ATCO FIAT ID 0.472 (12MM) OD 0.59 (14.99MM)	10 PK
233-3145	O-RING CAPTIVE #8 (1/2 ") DUAL ID 0.394 (10MM) OD 0.552 (14.02MM)	10 PK
233-3150	O-RING SPRINGLOCK #6 METRIC CHRY/FORD/HYU/MAZ/JAG ID 0.291 (7.38MM) OD 0.433 (11MM)	10 PK
233-3155	O-RING SPRINGLOCK #8 METRIC FORD ID 0.40 (10.12 MM) OD 0.546 (13.87MM)	10 PK



233-3066

O-RING
DRIER CHRYSLER
ID 0.453 (11.51MM)
OD 0.633 (16.08MM)



233-3066



233-3058

O-RING DUAL
#10 (5/8") GM
ID 0.468 (11.89MM)
OD 0.624 (15.85MM)



233-3058



233-3059

O-RING COMPRESSION
#8
ID 0.489 (12.42MM)
OD 0.629 (15.98MM)



233-3059



233-3060

O-RING PAD MOUNT
#10 OPEL/VAUX HALL
ID 0.421 (10.69MM)
OD 0.699 (17.75MM)




233-3060



233-3061

O-RING METRIC
13 MM
ID 0.496 (12.6MM)
OD 0.636 (16.15MM)



233-3061



233-3062

O-RING IMPORT
COMPRESSORS
ID 0.512 (13MM)
OD 0.63 (16MM)



233-3062



233-3063

O-RING METRIC
13 MM FORD
ID 0.512 (13MM)
OD 0.638 (16.21MM)



233-3063



233-3064

O-RING CAPTIVE
12.5 MM HYUND/SATURN
ID 0.492 (12.5MM)
OD 0.688 (17.48MM)



233-3064



233-3067

O-RING CAPTIVE #10
5/8" GM
ID 0.472 (11.99MM)
OD 0.668 (16.97MM)



233-3067



233-3068

O-RING SENSOR
TV10CA/TV12C/TV14C
ID 0.512 (13MM)
OD 0.67 (17.02MM)



233-3068



233-3069

O-RING METRIC
13 MM HUND/SUZ/TOY
ID 0.528 (13.41MM)
OD 0.668 (16.97MM)



233-3069



233-3070

O-RING CAPTIVE
#10 (5/8")
ID 0.487 (12.37MM)
OD 0.693 (17.6MM)



233-3070



233-3071

O-RING P-NUT
#10 (5/8") FORD/MERC
ID 0.457 (11.61MM)
OD 0.653 (16.59MM)



233-3071



233-3072

O-RING CAPTIVE
(13 MM) CHRY/ISUZU/MAZDA
ID 0.507 (12.88MM)
OD 0.695 (17.65MM)



233-3072



233-3073

O-RING PAD BLOCK
12.5 MM GM
ID 0.484 (12.29MM)
OD 0.762 (19.35MM)



233-3073



233-3074

O-RING CAPTIVE 13 MM
DENSO SUCTN/MANIFOLD
ID 0.535 (13.59MM)
OD 0.723 (18.36MM)



233-3074



233-3075

O-RING CAPTIVE
13.5 MM GM/HON/ACU
ID 0.531 (13.49MM)
OD 0.727 (18.47MM)



233-3075



233-3076

O-RING METRIC
14 MM MERC/PORSCHE
ID 0.551 (14MM)
OD 0.709 (18MM)



233-3076



233-3077

O-RING METRIC
14.5 MM
ID 0.575 (14.61MM)
OD 0.711 (18.06MM)



233-3077



233-3078

O-RING CAPTIVE
14 MM BMW/CHRY/LROVER
ID 0.551 (14MM)
OD 0.747 (18.97MM)



233-3078

MEDIUM SIZES (233-3177)



233-3079

O-RING METRIC
15 MM MAZDA
ID 0.591 (15MM)
OD 0.709 (18MM)



233-3079



233-3080

O-RING CAPTIVE
14 MM AUDI/VW/NISS
ID .563 (14.3MM)
OD .751 (19.08MM)



233-3080



233-3081

O-RING CAPTIVE
14.5 MM GM/HON/ACU
ID .575 (14.61MM)
OD .763 (19.38MM)



233-3081



233-3082

O-RING PAD MOUNT
14 MM AUDI/VW
ID 0.551 (14MM)
OD 0.787 (20MM)



233-3082



233-3083

O-RING METRIC
15 MM JAG/NISS
ID 0.614 (15.6MM)
OD 0.754 (19.15MM)



233-3083



233-3084

O-RING CAPTIVE
14 MM GM/SATURN/VOLV
ID 0.546 (13.87MM)
OD 0.824 (20.93MM)



233-3084



233-3085

O-RING CAPTIVE
15 MM SAAB
ID 0.591 (15MM)
OD 0.787 (19.99MM)



233-3085




233-3086

O-RING METRIC
16 MM AUDI/VW
ID 0.634 (16.1MM)
OD 0.76 (19.3MM)



233-3086



233-3087

O-RING METRIC
16 MM CHRY/MITSUBISHI
ID 0.63 (16MM)
OD 0.788 (20.02)



233-3087




233-3088

O-RING STANDARD
#10 HOSE FITTING
ID 0.551 (14MM)
OD 0.698 (17.55MM)



233-3088



233-3090

O-RING CAPTIVE
#12 (3/4")
ID 0.549 (13.94MM)
OD 0.755 (19.18MM)



233-3090



233-3091

O-RING METRIC
16 MM AUDI/VW/CHRY
ID 0.648 (16.46MM)
OD 0.788 (20.02MM)



233-3091




233-3092

O-RING CAPTIVE
16 MM SUZUKI
ID 0.63 (16MM)
OD 0.812 (20.62MM)



233-3092



233-3093

O-RING METRIC
17 MM MAZ/MITSUBISHI
ID 0.673 (17.09MM)
OD 0.783 (19.89MM)



233-3093



233-3094

O-RING METRIC
16.5 MM
ID 0.644 (16.36MM)
OD 0.818 (20.78MM)




233-3094



233-3095

O-RING DUAL #12
3/4" GM
ID 0.61 (15.49MM)
OD 0.768 (19.51MM)



233-3095



233-3096

O-RING METRIC
16.5 MM
ID 0.634 (16.1MM)
OD 0.84 (21.34MM)



233-3096



233-3097

O-RING PAD MOUNT
15 MM DRIER OPEL
ID 0.609 (15.47MM)
OD 0.887 (22.53MM)



233-3097



233-3098

O-RING CAPTIVE
17 MM AUDI/VW/CHRY
ID 0.669 (17MM)
OD 0.859 (21.82MM)



233-3098




233-3099

O-RING DISCHARGE
SHAFT SEAL HEAD NISSAN
ID 0.563 (14.3MM)
OD 0.769 (19.53MM)



233-3099

MEDIUM SIZES (233-3177)




233-3100

O-RING CAPTIVE
17 MM BMW/GM/HONDA
ID 0.674 (17.12MM)
OD 0.88 (22.35MM)



233-3100




233-3101

O-RING SUCTION
BEHR COMPRESSOR
ID 0.709 (18MM)
OD 0.867 (22.02MM)



233-3101




233-3102

O-RING METRIC
18 MM ISUZU/VOLVO
ID 0.697 (17.7MM)
OD 0.887 (22.53MM)



233-3102




233-3103

O-RING STANDARD
#12 (3/4 ") TUBE-O
ID 0.676 (17.17MM)
OD 0.816 (20.73MM)



233-3103




233-3105

O-RING CAPTIVE
15 MM BMW/CHRY/FORD
ID 0.612 (15.54MM)
OD 0.818 (20.78MM)



233-3105



233-3111

O-RING CAPTIVE
17 MM BMW/PORSCHE
ID 0.669 (17MM)
OD 0.827 (21MM)



233-3111



233-3160

O-RING SPRINGLOCK
#10 (5/8 ") CHRY/FORD
ID 0.509 (12.93MM)
OD 0.656 (16.68MM)



233-3160



233-3165


O-RING SPRINGLOCK
#12 (3/4 ") JEEP/CHRY
ID 0.617 (15.67MM)
OD 0.769 (19.53MM)



233-3165

O-Ring Master Kit 48 Compartment (Medium Sizes) 233-3177

233-3066	O-RING DRIER CHRYSLER ID 0.453 (11.51MM) OD 0.633 (16.08MM)	10 PK
233-3058	O-RING DUAL #10 (5/8 ") GM ID 0.468 (11.89MM) OD 0.624 (15.85MM)	10 PK
233-3059	O-RING COMPRESSION #8 ID 0.489 (12.42MM) OD 0.629 (15.98MM)	10 PK
233-3060	O-RING PAD MOUNT #10 OPEL/VAUX HALL ID 0.421 (10.69MM) OD 0.699 (17.75MM)	10 PK
233-3061	O-RING METRIC (13 MM) ID 0.496 (12.6MM) OD 0.636 (16.15MM)	10 PK
233-3062	O-RING IMPORT COMPRESSORS ID 0.512 (13MM) OD 0.63(16MM)	10 PK
233-3063	O-RING METRIC (13 MM) FORD ID 0.512 (13MM) OD 0.638 (16.21MM)	10 PK
233-3064	O-RING CAPTIVE (12.5 MM) HYUND/SATURN ID 0.492 (12.5MM) OD 0.688 (17.48MM)	10 PK
233-3067	O-RING CAPTIVE #10 (5/8 ") GM ID 0.472 (11.99MM) OD 0.668 (16.97MM)	10 PK
233-3068	O-RING SENSOR TV10CA/TV12C/TV14C ID 0.512 (13MM) OD 0.67 (17.02MM)	10 PK
233-3069	O-RING METRIC (13 MM) HUND/SUZ/TOY ID 0.528 (13.41MM) OD 0.668 (16.97MM)	10 PK
233-3070	O-RING CAPTIVE #10 (5/8 ") ID 0.487 (12.37MM) OD 0.693 (17.6MM)	10 PK
233-3071	O-RING P-NUT #10 (5/8 ")FORD/MERC ID 0.457 (11.61MM) OD 0.653 (16.59MM)	10 PK
233-3072	O-RING CAPTIVE (13 MM) CHRY/ISUZU/MAZDA ID 0.507 (12.88MM) OD 0.695 (17.65MM)	10 PK
233-3073	O-RING PAD BLOCK (12.5 MM) GM ID 0.484 (12.29MM) OD 0.762 (19.35MM)	10 PK
233-3074	O-RING CAPTIVE (13 MM) DENSO SUCTN/MANIFOLD ID 0.535 (13.59MM) OD 0.723 (18.36MM)	10 PK
233-3075	O-RING CAPTIVE (13.5 MM) GM/HONDA/ACURA ID 0.531 (13.49MM) OD 0.727 (18.47MM)	10 PK
233-3076	O-RING METRIC (14 MM) MERC/PORSCHE ID 0.551 (14MM) OD 0.709 (18MM)	10 PK
233-3077	O-RING METRIC (14.5 MM) ID 0.575 (14.61MM) OD 0.711 (18.06MM)	10 PK
233-3078	O-RING CAPTIVE (14 MM) BMW/CHRY/LROVER ID 0.551 (14MM) OD 0.747 (18.97MM)	10 PK
233-3079	O-RING METRIC (15 MM) MAZDA ID 0.591 (15MM) OD 0.709 (18MM)	10 PK
233-3080	O-RING CAPTIVE (14 MM) AUDI/VW/NISS ID 0.563 (14.3MM) OD 0.751 (19.08MM)	10 PK
233-3081	O-RING CAPTIVE (14.5 MM) GM/HONDA/ACURA ID 0.575 (14.61MM) OD 0.763 (19.38MM)	10 PK
233-3082	O-RING PAD MOUNT (14 MM) AUDI/VW ID 0.551 (14MM) OD 0.787 (20MM)	10 PK
233-3083	O-RING METRIC (15 MM) JAG/NISS ID 0.614 (15.6MM) OD 0.754 (19.15MM)	10 PK
233-3084	O-RING CAPTIVE (14 MM) GM/SATURN/VOL ID 0.546 (13.87MM) OD 0.824 (20.93MM)	10 PK
233-3085	O-RING CAPTIVE (15 MM) SAAB ID 0.591 (15MM) OD 0.787 (19.99MM)	10 PK
233-3086	O-RING METRIC (16 MM) AUDI/VW ID 0.634 (16.1MM) OD 0.76 (19.3MM)	10 PK
233-3087	O-RING METRIC (16 MM) CHRY/ITSUB ID 0.63 (16MM) OD 0.788 (20.02MM)	10 PK
233-3088	O-RING STANDARD #10 HOSE FITTING ID 0.551 (14MM) OD 0.691 (17.55MM)	10 PK
233-3090	O-RING CAPTIVE #12 (3/4 ") ID 0.549(13.94MM) OD 0.755 (19.18MM)	10 PK
233-3091	O-RING METRIC (16 MM) AUDI/VW/CHRY ID 0.648 (16.46MM) OD 0.788 (20.02MM)	10 PK
233-3092	O-RING CAPTIVE (16 MM) SUZUKI ID 0.63 (16MM) OD 0.812 (20.62MM)	10 PK
233-3093	O-RING METRIC (17 MM) MAZ/ITSU ID 0.673 (17.09MM) OD 0.783 (19.89MM)	10 PK
233-3094	O-RING METRIC (16.5 MM) ID 0.644 (16.36MM) OD 0.818 (20.78MM)	10 PK
233-3095	O-RING DUAL #12 (3/4 ") GM ID 0.61 (15.49MM) OD 0.768 (19.51MM)	10 PK
233-3096	O-RING METRIC (16.5 MM) ID 0.634 (16.1MM) OD 0.84 (21.34MM)	10 PK
233-3097	O-RING PAD MOUNT (15 MM) DRIER OPEL ID 0.609 (15.47MM) OD 0.887 (22.53MM)	10 PK
233-3098	O-RING CAPTIVE (17 MM) AUDI/VW/CHRY ID 0.669 (17MM) OD 0.859 (21.82MM)	10 PK
233-3099	O-RING DISCHARGE SHAFT SEAL HEAD NISSAN ID 0.563 (14.3MM) OD 0.769 (19.53MM)	10 PK
233-3100	O-RING CAPTIVE (17 MM) BMW/GM/HON ID 0.674 (17.12MM) OD 0.88 (22.35MM)	10 PK
233-3101	O-RING SUCTION BEHR COMPRESSOR ID 0.709 (18MM) OD 0.867 (22.02MM)	10 PK
233-3102	O-RING METRIC (18 MM) ISUZU/VOL ID 0.697 (17.7MM) OD 0.887 (22.53MM)	10 PK
233-3103	O-RING STANDARD #12 (3/4 ") TUBE-O ID 0.676 (17.17MM) OD 0.816 (20.73MM)	10 PK
233-3105	O-RING CAPTIVE (15 MM) BMW/CHRY/FORD ID 0.612 (15.54MM) OD 0.818 (20.78MM)	10 PK
233-3111	O-RING CAPTIVE (17 MM) BMW/PORSCHE ID 0.669 (17MM) OD 0.827 (21MM)	10 PK
233-3160	O-RING SPRINGLOCK #10 (5/8 ") CHRY/FORD ID 0.509 (12.93MM) OD 0.656 (16.68MM)	10 PK
233-3165	O-RING SPRINGLOCK #12 (3/4 ") JEEP/CHRYSLER ID 0.617 (15.67MM) OD 0.769 (19.53MM)	10 PK




233-3117

O-RING COMPRESSOR
SUCTION/DISCH FORD
ID 0.724 (18.39MM)
OD 0.93 (23.62MM)



233-3117




233-3119

O-RING SUCTION/DISCH
DENSO CHRY/HON/MAZ
ID 0.737 (18.72MM)
OD 0.943 (23.96MM)



233-3119




233-3120

O-RING COMPRESSION
#12 ATCO
ID 0.739 (18.77MM)
OD 0.879 (22.33MM)



233-3120




233-3121

O-RING METRIC
19 MM
ID 0.748 (19MM)
OD 0.944 (23.98MM)



233-3121




233-3122

O-RING PAD MOUNT
SUCTION/DISCH FORD/GM
ID 0.796 (20.22MM)
OD 1.074 (27.28MM)



233-3122




233-3123

O-RING COMPRESSOR
SUCTION FORD
ID 0.799 (20.29MM)
OD 1.005 (25.53MM)



233-3123




233-3125

O-RING A/C VALVES
22 MM FORD/CHRY
ID 0.864 (21.95MM)
OD 1.004 (25.5MM)



233-3125




233-3126

O-RING SUCTION/DISCH
DENSO CHRY/FORD/GM
ID 0.772 (19.61MM)
OD 0.958 (24.33MM)



233-3126




233-3127

O-RING METRIC
20 MM ALFA ROMERO
ID 0.787 (20MM)
OD 0.945 (24MM)



233-3127




233-3129

O-RING METRIC
20 MM HOSE AUDI/VW
ID 0.801 (20.35MM)
OD 0.941 (23.9MM)



233-3129




233-3130

O-RING METRIC
22 MM SWITCH PORT
ID 0.866 (22MM)
OD 1.05 (26.82MM)



233-3130




233-3131

O-RING SUCTION/DISCHARGE
PORT GM/HARRISON
ID 0.859 (21.82MM)
OD 1.137 (28.8MM)



233-3131




233-3132

O-RING CAPTIVE
23.5 MM BMW/MERCURY
ID 0.924 (23.47MM)
OD 1.13 (28.7MM)



233-3132




233-3133

O-RING METRIC
24 MM AUDI/VW/SAAB
ID 0.945 (24MM)
OD 1.135 (28.83MM)



233-3133




233-3134

O-RING VIR RECEIVER
EXP VALVE GM/BUICK
ID 1.00 (25.59MM)
OD 1.137 (28.90MM)



233-3134




233-3135

O-RING CAPTIVE
23.5MM DENSO DRIER
ID 0.921 (23.39MM)
OD 1.199 (30.45MM)



233-3135




233-3136

O-RING
GM/OPEL/VAXUALL
ID 1.051 (26.7MM)
OD 1.191 (30.25MM)



233-3136




233-3137

O-RING METAL SHAFT SEAL
507/508/510
ID 1.161 (29.49MM)
OD 1.319 (33.5MM)



233-3137




233-3138

O-RING
VIR POA VALVE
ID 1.30 (33.02MM)
OD 1.362 (34.59MM)



233-3138




233-3139

O-RING
SHAFT SEAL SEAT
ID 1.237 (31.42MM)
OD 1.435 (36.47MM)



233-3139




233-3140

O-RING
SWITCH PORT GM
ID 0.850 (21.6MM)
OD 1.039 (26.4MM)



233-3140




233-3142

O-RING
SHAFT SEAL HT6
ID 1.22 (31MM)
OD 1.464 (37.19MM)



233-3142




233-3143

O-RING CAPTIVE
33 MM DENSO AUDI/VW
ID 1.296 (32.92MM)
OD 1.574 (39.98MM)



233-3143



233-3144

O-RING CAPTIVE
36 MM DENSO HON/LEX/TOY
ID 1.428 (36.27MM)
OD 1.572 (39.93MM)



233-3144

O-Ring Master Kit 24 Compartment (Larger Sizes) 233-3178

233-3117	O-RING COMPRESSOR SUCTN/DISCH FORD ID 0.724 (18.39MM) OD 0.93 (23.62MM)	10 PK
233-3119	O-RING SUCTN/DISCH DENSO CHRY/HON/MAZ ID 0.737 (18.72MM) OD 0.943 (23.96MM)	10 PK
233-3120	O-RING COMPRESSION #12 ATCO ID 0.739 (18.77MM) OD 0.879 (22.33MM)	10 PK
233-3121	O-RING METRIC (19 MM) ID 0.748 (19MM) OD 0.944 (23.98MM)	10 PK
233-3122	O-RING PAD MOUNT SUCTN/DISCH FORD/GM ID 0.796 (20.22MM) OD 1.074 (27.28MM)	10 PK
233-3123	O-RING COMPRESSOR SUCTION FORD ID 0.799 (20.29MM) OD 1.005 (25.53MM)	10 PK
233-3125	O-RING A/C VALVES (22 MM) FORD/CHRY ID 0.864 (21.95MM) OD 1.004 (25.5MM)	10 PK
233-3126	O-RING SUCTN/DISCH DENSO CHRY/FORD/GM ID 0.772 (19.61MM) OD 0.958 (24.33MM)	10 PK
233-3127	O-RING METRIC (20 MM) ALFA ROMERO ID 0.787 (20MM) OD 0.945 (24MM)	10 PK
233-3129	O-RING METRIC (20 MM) HOSE AUDI/VW ID 0.801 (20.35MM) OD 0.941 (23.9MM)	10 PK
233-3130	O-RING METRIC (22 MM) SWITCH PORT ID 0.866 (22MM) OD 1.05 (26.82MM)	10 PK
233-3131	O-RING SUCTION/DISCHARGE PORT GM/HARRISON ID 0.859 (21.82MM) OD 1.137 (28.88MM)	10 PK
233-3132	O-RING CAPTIVE (23.5 MM) BMW/MERCURY ID 0.924 (23.47MM) OD 1.13 (28.7MM)	10 PK
233-3133	O-RING METRIC (24 MM) AUDI/VW/SAAB ID 0.945 (24MM) OD 1.135 (28.83MM)	10 PK
233-3134	O-RING VIR RECEIVER EXP VALVE GM/BUICK ID 1.00 (25.59MM) OD 1.137 (28.90MM)	10 PK
233-3135	O-RING CAPTIVE (23.5 MM) DENSO DRIER ID 0.921 (23.39MM) OD 1.199 (30.45MM)	10 PK
233-3136	O-RING GM/OPEL/VAXUALL ID 1.051 (26.7MM) OD 1.191 (30.25MM)	10 PK
233-3137	O-RING METAL SHAFT SEAL 507/508/510 ID 1.161 (29.49MM) OD 1.319 (33.5MM)	10 PK
233-3138	O-RING VIR POA VALVE ID 1.30 (33.02MM) OD 1.362 (34.59MM)	10 PK
233-3139	O-RING SHAFT SEAL SEAT ID 1.237 (31.42MM) OD 1.435 (36.47MM)	10 PK
233-3140	O-RING SWITCH PORT GM ID 0.850 (21.6MM) OD 1.039 (26.4MM)	10 PK
233-3142	O-RING SHAFT SEAL HT6 ID 1.22 (31MM) OD 1.464 (37.19MM)	10 PK
233-3143	O-RING CAPTIVE (33 MM) DENSO AUDI/VW ID 1.296 (32.92MM) OD 1.574 (39.98MM)	10 PK
233-3144	O-RING CAPTIVE (36 MM) DENSO HONDA/LEX/TOY ID 1.428 (36.27MM) OD 1.572 (39.93MM)	10 PK



233-3013

O-RING GM OIL
TUBE/FILL BOLT
ID 0.239 (6.07MM)
OD 0.379 (9.63MM)



233-3013



233-3014

O-RING PAD MOUNT
5 MM
ID 0.197 (5MM)
OD 0.353 (8.97MM)



233-3014



233-3016

O-RING CAPTIVE
6 MM
ID 0.236 (5.99MM)
OD 0.394 (10MM)



233-3016



233-3017

O-RING ORIFICE TUBE
ACU/CHRY/FORD/GM
ID 0.256 (6.5MM)
OD 0.378 (9.6MM)



233-3017



233-3020

O-RING CAPTIVE
7 MM FORD COMBO VALVE
ID 0.267 (6.60MM)
OD 0.40 (10.16MM)




233-3020



233-3022

O-RING CAPTIVE
#6 (3/8 ")
ID 0.262 (6.65MM)
OD 0.468 (11.89MM)



233-3022



233-3023

O-RING TOYOTA
#5 HOSE FITTING
ID 0.276 (7MM)
OD 0.394 (10MM)



233-3023



233-3024

O-RING STANDARD
#6 (3/8 ")
ID 0.301 (7.65MM)
OD 0.441 (11.2MM)



233-3024



233-3025

O-RING ACU/FORD/GM/
HON/INF/JAG/LEX
ID 0.266 (6.76MM)
OD 0.406 (10.31MM)



233-3025



233-3027

O-RING ORIFICE TUBE
FORD/CHRY
ID 0.301 (7.65MM)
OD 0.430 (10.91MM)



233-3027



233-3032

O-RING CAPTIVE
#6 (3/8 ") BMW/GM
ID 0.276 (7MM)
OD 0.466 (11.84MM)



233-3032



233-3035

O-RING PRESSURE
SWITCH TOYOTA
ID 0.364 (9.25MM)
OD 0.504 (12.81MM)



233-3035



233-3036

O-RING HPRV VALVE
M10 GM/JAG
ID 0.331 (8.41MM)
OD 0.465 (11.81MM)



233-3036



233-3039

O-RING R12
CHRY/FORD/GM/SAAB
ID 0.351 (8.92MM)
OD 0.495 (12.57MM)



233-3039



233-3042

O-RING CAPTIVE
#8 (1/2 ") GM/BMW/OPEL
ID 0.362 (9.19MM)
OD 0.568 (14.43MM)



233-3042



233-3045

O-RING CAPTIVE
#8 (1/2 ")
ID 0.364 (9.25MM)
OD 0.554 (14.07MM)



233-3045



233-3047

O-RING STANDARD
#8 HOSE FITTING
ID 0.426 (10.82MM)
OD 0.566 (14.38MM)



233-3047



233-3053

O-RING ORIFICE
GM PPOT
ID 0.433 (11MM)
OD 0.559 (14.2MM)



233-3053



233-3054

O-RING DISCHGE DENSO
MANIF 10PA15C
ID 0.417 (10.59MM)
OD 0.605 (15.37MM)



233-3054



233-3058

O-RING DUAL
#10 (5/8 ") GM
ID 0.468 (11.89MM)
OD 0.624 (15.85MM)



233-3058



233-3067

O-RING CAPTIVE
#10 (5/8") GM
ID 0.472 (11.99MM)
OD 0.668 (16.97MM)



233-3067



233-3071

O-RING P-NUT
#10 (5/8") FORD/MERC
ID 0.457 (11.61MM)
OD 0.653 (16.59MM)



233-3071



233-3074

O-RING CAPTIVE 13 MM
DENSO SUCTN/MANIFOLD
ID 0.535 (13.59MM)
OD 0.723 (18.36MM)



233-3074



233-3088

O-RING STANDARD
#10 HOSE FITTING
ID 0.551 (14MM)
OD 0.691 (17.55mm)



233-3088




233-3090

O-RING CAPTIVE
#12 (3/4")
ID 0.549 (16.94MM)
OD 0.755 (19.18MM)



233-3090



233-3095

O-RING DUAL
#12 (3/4") GM
ID 0.61 (15.49MM)
OD 0.768 (19.51MM)



233-3095



233-3099

O-RING DISCHARGE SHAFT
SEAL HEAD NISSAN
ID 0.563 (14.3MM)
OD 0.769 (19.53MM)



233-3099




233-3103

O-RING STANDARD
#12 (3/4") TUBE-O
ID 0.676 (17.17MM)
OD 0.816 (20.73MM)



233-3103




233-3118

O-RING COMPRESSOR
SUCTION/DISCH FS6 OVAL
ID 0.748 (19MM)
OD 0.964 (24.49MM)



233-3118




233-3119

O-RING SUCTN/DISCH
DENSO CHRY/HON/MAZ
ID 0.737 (18.72MM)
OD 0.943 (23.96MM)



233-3119




233-3122

O-RING PAD MOUNT
SUCTION/DISCH FORD/GM
ID 0.796 (20.22MM)
OD 1.074 (27.28MM)



233-3122




233-3126

O-RING SUCTION/DISCH
DENSO CHRY/FORD/GM
ID 0.772 (19.61MM)
OD 0.958 (24.33MM)



233-3126




233-3128

O-RING COMPRESSOR
OVAL SUCTION/DISCH GM
ID 0.90 (23MM)
OD 1.11 (28.19MM)



233-3128




233-3131

O-RING SUCTION/DISCH
PORT GM/HARR
ID 0.859 (21.82MM)
OD 1.137 (28.88MM)



233-3131




233-3140

O-RING SWITCH
PORT GM
ID 0.850 (21.6MM)
OD 1.039 (26.4MM)



233-3140



233-3145

O-RING CAPTIVE
#8 (1/2") DUAL
ID 0.394 (10MM)
OD 0.552 (14.02MM)



233-3018



233-3150

O-RING SPRINGLOCK #6 METRIC
CHRY/FORD/HYU/MAZ/JAG
ID 0.291 (7.38MM)
OD 0.433 (11MM)



233-3050



233-3155

O-RING SPRINGLOCK
#8 METRIC FORD
ID 0.40 (10.12 MM)
OD 0.546 (13.87MM)



233-3155



233-3160

O-RING SPRINGLOCK
#10 (5/8")
ID 0.509 (12.93MM)
OD 0.656 (16.68MM)



233-3160



233-3165

O-RING SPRINGLOCK
#12 (3/4") JEEP/CHRYSLER
ID 0.617 (15.67MM)
OD 0.769 (19.53MM)



233-3165

MOST POPULAR (233-3179)



233-4012

GASKET MOLDED
W/TABS MERCEDES



233-4012



233-3151

SPRINGLOCK
GARTER SPRING #6 (3/8 ")



233-3151



233-3156

SPRINGLOCK GARTER SPRING
#8 (1/2 ") CHRY/FORD



233-3156



233-3161

SPRINGLOCK GARTER SPRING
#10 (5/8 ") CHRY/FORD



233-3161



233-3166

SPRINGLOCK GARTER SPRING
#12 (3/4 ")



233-3166



233-4016

GASKET WASHER METAL
DUAL O-RING GM #8 (1/2 ")



233-4016



233-4017

GASKET WASHER DUAL
O-RING GM #10 (5/8 ")



233-4017



233-4018

GASKET WASHER DUAL
O-RING GM #12 (3/4 ")



233-4018

O-Ring Start UP Kit 48 Compartment (Most Popular) 233-3179

233-3013	O-RING GM OIL TUBE/FILL BOLT ID 0.239 (6.07MM) OD 0.379 (9.63MM)	10 PK
233-3014	O-RING PAD MOUNT (5 MM) ID 0.197 (5MM) OD 0.353 (8.97MM)	10 PK
233-3016	O-RING CAPTIVE 6MM ID 0.236 (5.99MM) OD 0.394 (10MM)	10 PK
233-3017	O-RING ORIFICE TUBE ACU/CHRY/FORD/GM ID 0.256 (6.5MM) OD 0.378 (9.6MM)	10 PK
233-3020	O-RING CAPTIVE (7 MM) FORD COMBO VALVE ID 0.267 (6.60MM) OD 0.40 (10.16MM)	10 PK
233-3022	O-RING CAPTIVE #6 (3/8 ") ID 0.262 (6.65MM) OD 0.468 (11.89MM)	10 PK
233-3023	O-RING TOYOTA #5 HOSE FITTING ID 0.276 (7MM) OD 0.394 (10MM)	10 PK
233-3024	O-RING STANDARD #6 (3/8 ") ID 0.301 (7.65MM) OD 0.441 (11.2MM)	10 PK
233-3025	O-RING ACU/FORD/GM/HON/INF/JAG/LEX ID 0.266 (6.76MM) OD 0.406 (10.31MM)	10 PK
233-3027	O-RING ORIFICE TUBE FORD/CHRY ID 0.301 (7.65MM) OD 0.430 (10.91MM)	10 PK
233-3032	O-RING CAPTIVE #6 (3/8 ") BMW/GM ID 0.276 (7MM) OD 0.466 (11.84MM)	10 PK
233-3035	O-RING PRESSURE SWITCH TOYOTA ID 0.364 (9.25MM) OD 0.504 (12.81MM)	10 PK
233-3036	O-RING HPRV VALVE M10 GM/JAG ID 0.331 (8.41MM) OD 0.465 (11.81MM)	10 PK
233-3039	O-RING R12 CHRY/FORD/GM/SAAB ID 0.351 (8.92MM) OD 0.495 (12.57MM)	10 PK
233-3042	O-RING CAPTIVE #8 (1/2 ") GM/BMW/OPEL ID 0.362 (9.19MM) OD 0.568 (14.43MM)	10 PK
233-3045	O-RING CAPTIVE #8 (1/2 ") ID 0.364 (9.25MM) OD 0.554 (14.07MM)	10 PK
233-3047	O-RING STANDARD #8 HOSE FITTING ID 0.426 (10.82MM) OD 0.566 (14.38MM)	10 PK
233-3053	O-RING ORIFICE GM PPOT ID 0.433 (11MM) OD 0.559 (14.2MM)	10 PK
233-3054	O-RING DISCHGE DENSO MANIF 10PA15C ID 0.417 (10.59MM) OD 0.605 (15.37MM)	10 PK
233-3058	O-RING DUAL #10 (5/8 ") GM ID 0.468 (11.89MM) OD 0.624 (15.85MM)	10 PK
233-3067	O-RING CAPTIVE #10 (5/8 ") GM ID 0.472 (11.99MM) OD 0.668 (16.97MM)	10 PK
233-3071	O-RING P-NUT #10 (5/8 ") FORD/MERC ID 0.457 (11.61MM) OD 0.653 (16.59MM)	10 PK
233-3074	O-RING CAPTIVE (13 MM) DENSO SUCTN/MANIFOLD ID 0.535 (13.59MM) OD 0.723 (18.36MM)	10 PK
233-3088	O-RING STANDARD #10 HOSE FITTING ID 0.551 (14MM) OD 0.691 (17.55mm)	10 PK
233-3090	O-RING CAPTIVE #12 (3/4 ") ID 0.549 (16.94MM) OD 0.755 (19.18MM)	10 PK
233-3095	O-RING DUAL #12 (3/4 ") GM ID 0.61 (15.49MM) OD 0.768 (19.51MM)	10 PK
233-3099	O-RING DISCHARGE SHAFT SEAL HEAD NISSAN ID 0.563 (14.3MM) OD 0.769 (19.53MM)	10 PK
233-3103	O-RING STANDARD #12 (3/4 ") TUBE-O ID 0.676 (17.17MM) OD 0.816 (20.73MM)	10 PK
233-3118	O-RING COMPRESSOR SUCT/DISCH FS6 OVAL ID 0.748 (19MM) OD 0.964 (24.49MM)	10 PK
233-3119	O-RING SUCTN/DISCH DENSO CHRY/HON/MAZ ID 0.737 (18.72MM) OD 0.943 (23.96MM)	10 PK
233-3122	O-RING PAD MOUNT SUCTN/DISCH FORD/GM ID 0.796 (20.22MM) OD 1.074 (27.28MM)	10 PK
233-3126	O-RING SUCTN/DISCH DENSO CHRY/FORD/GM ID 0.772 (19.61MM) OD 0.958 (24.33MM)	10 PK
233-3128	O-RING COMPRESSOR OVAL SUCT/DISCH GM ID 0.90 (23MM) OD 1.11 (28.19MM)	10 PK
233-3131	O-RING SUCTION/DISCH PORT GM/HARR ID 0.859 (21.82MM) OD 1.137 (28.88MM)	10 PK
233-3140	O-RING SWITCH PORT GM ID 0.850 (21.6MM) OD 1.039 (26.4MM)	10 PK
233-3145	O-RING CAPTIVE #8 (1/2 ") DUAL ID 0.394 (10MM) OD 0.552 (14.02MM)	10 PK
233-3150	O-RING SPRINGLOCK #6 METRIC CHRY/FORD/HYU/MAZ/JAG ID 0.291 (7.38MM) OD 0.433 (11MM)	10 PK
233-3155	O-RING SPRINGLOCK #8 METRIC FORD ID 0.40 (10.12 MM) OD 0.546 (13.87MM)	10 PK
233-3160	O-RING SPRINGLOCK #10 (5/8 ") CHRY/FORD ID 0.509 (12.93MM) OD 0.656 (16.68MM)	10 PK
233-3165	O-RING SPRINGLOCK #12 (3/4 ") JEEP/CHRYSLER ID 0.617 (15.67MM) OD 0.769 (19.53MM)	10 PK
233-4012	GASKET MOLDED HNBR W/TABS MERCEDES	10 PK
233-3151	SPRINGLOCK GARTER SPRING #6 (3/8 ")	10 PK
233-3156	SPRINGLOCK GARTER SPRING #8 (1/2 ") CHRY/FORD	10 PK
233-3161	SPRINGLOCK GARTER SPRING #10 (5/8 ") CHRY/FORD	10 PK
233-3166	SPRINGLOCK GARTER SPRING #12 (3/4 ")	10 PK
233-4016	GASKET WASHER METAL DUAL O-RING GM #8 (1/2 ")	10 PK
233-4017	GASKET WASHER DUAL O-RING GM #10 (5/8 ")	10 PK
233-4018	GASKET WASHER DUAL O-RING GM #12 (3/4 ")	10 PK

SEALING WASHER KIT (233-5075)



233-5025
SEALING WASHER
CHRY SUCTN HOOK
ID 15.88MM



233-5025



233-5026
SEALING WASHER
CHRYSLER DISCHARGE HOOK
ID 11.43MM



233-5026



233-5051
SEALING WASHER
GM 5/8" THICK
ID 15MM



233-5051



233-5052
SEALING WASHER
GM 3/4" THIN
ID 17.50MM




233-5052



233-5053
SEALING WASHER
GM 5/8" THICK
ID 15.24MM




233-5053



233-5054
SEALING WASHER
GM GREEN
ID 15.30MM



233-5054



233-5055
SEALING WASHER
GM RED
ID 15.30MM



233-5055



233-5056
SEALING WASHER
GM YELLOW
ID 15.30MM



233-5056



233-5060
SEALING WASHER
SLIMLINE GM
ID 8MM



233-5060



233-5061
SEALING WASHER
SLIMLINE GM
ID 11.10MM



233-5061



233-5062
SEALING WASHER
SLIMLINE GM
ID 17.20MM




233-5062



233-5063
SEALING WASHER
SLIMLINE GM
ID 15.50MM



233-5063



233-5067
SEALING WASHER
INSERT GM
LONG



233-5067



233-5068
SEALING WASHER
INSERT GM
SHORT



233-5068

Sealing Washer Assortment Startup Kit (233-5075)

233-5025	SEALING WASHER CHRY SUCTN HOOK ID 15.88MM	5 PK
233-5026	SEALING WASHER CHRY DISCH HOOK ID 11.43MM	5 PK
233-5051	SEALING WASHER 5/8" THICK ID 15MM	5 PK
233-5052	SEALING WASHER 3/4" THIN ID 17.50MM	5 PK
233-5053	SEALING WASHER 5/8" THIN ID 15.24MM	5 PK
233-5054	SEALING WASHER GM GREEN ID 15.30MM	5 PK
233-5055	SEALING WASHER GM RED ID 15.30MM	5 PK
233-5056	SEALING WASHER GM YELLOW ID 15.30MM	5 PK
233-5060	SEALING WASHER SLIMLINE GM ID 8MM	5 PK
233-5061	SEALING WASHER SLIMLINE GM ID 11.10MM	5 PK
233-5062	SEALING WASHER SLIMLINE GM ID 17.20MM	5 PK
233-5063	SEALING WASHER SLIMLINE GM ID 15.50MM	5 PK
233-5067	SEALING WASHER INSERT GM LONG	5 PK
233-5068	SEALING WASHER INSERT GM SHORT	5 PK



233-5020

GASKET DISCHARGE
CHRYSLER/ NIPPONDENSO 10S
ID 14.30MM



233-5051

SEALING WASHER
5/8" THICK
ID 15MM



233-5052

SEALING WASHER
3/4" THIN
ID 17.50MM



233-5053

SEALING WASHER
5/8" THIN
ID 15.50MM



233-5054

SEALING WASHER
GM GREEN
ID 15.30MM



233-5055

SEALING WASHER
GM RED
ID 15.30MM



233-5056

SEALING WASHER
GM YELLOW
ID 15.30MM



233-5057

SEALING WASHER
SLIMLINE
ID 17.91MM OD 27.99MM



233-5058

SEALING WASHER
05-06 DODGE
ID 17.93MM



233-5059

SEALING WASHER
CHRY/JEEP 05-06
GREEN ID 9.52MM



233-5060

SEALING WASHER
SLIMLINE GM
ID 8MM



233-5061

SEALING WASHER
SLIMLINE GM
ID 11.10MM



233-5062

SEALING WASHER
SLIMLINE GM
ID 17.20MM



233-5063

SEALING WASHER
SLIMLINE GM
ID 15.50MM



233-5064

SEALING WASHER
MSF RED
5/8"



233-5065

SEALING WASHER
MSF 1/2"



233-5066

SEALING WASHER
MSF 8MM



233-5069

SEALING WASHER
SLIMLINE GREEN
ID 7.92MM



233-5070

SEALING WASHER
GREEN
ID 8.26MM



233-5071

SEALING WASHER
SLIMLINE GREEN
ID 11.18MM



233-5065

233-5066

233-5069

233-5070

233-5071



233-5072

SEALING WASHER
STAT-O-SEAL
ID 11.23MM



233-5072



233-5073

SEALING WASHER
SLIMLINE
ID 13.31MM



233-5073



233-5074

SEALING WASHER
STAT-O-SEAL
ID 14.22MM



233-5074



233-5076

SEALING WASHER
SLIMLINE
ID 14.91MM



233-5076



233-5077

SEALING WASHER
SLIMLINE
ID 14.99MM



233-5077




233-5078

SEALING WASHER
STAT-O-SEAL
ID 15.37MM



233-5078




233-5079

SEALING WASHER
SLIMLINE
ID 15.50MM



233-5079




233-5080

SEALING WASHER
SLIMLINE
ID 17.07MM



233-5080




233-5081

SEALING WASHER
SLIMLINE
ID 17.15MM



233-5081




233-5082

SEALING WASHER
SLIMLINE
ID 17.15MM



233-5082




233-5083

SEALING WASHER
STAT-O-SEAL
ID 17.27MM



233-5083




233-5084

SEALING WASHER
SLIMLINE
ID 17.53MM



233-5084




233-5085

SEALING WASHER
SLIMLINE
ID 19.55MM



233-5085



233-5086

SEALING WASHER
HONDA
ID 8MM



233-5086



233-5087

SEALING WASHER
HONDA
ID 15MM



233-5087




233-5088

SEALING WASHER
HONDA
ID 1/2"



233-5088



233-5089

SEALING WASHER
HONDA
ID 5/8"



233-5089



233-5090

GASKET DRIER
W/O-RING
ID 10.31MM



233-5090



233-5091

GASKET SUCTION
W/O-RING CHRYSLER
ID 13.59MM



233-5091



233-5092

GASKET DISCHARGE
W/2 O-RINGS
ID 11.51MM



233-5092

SEALING WASHER KIT (233-3000)




233-5093

GASKET SUCTION
W/O-RING
ID 16.MM



233-5093




233-5094

SEALING WASHER
W/O-RING CHRYSLER
ID 15.11MM



233-5094



233-5095

SEALING WASHER
W/O-RING
ID 15.07MM



233-5095



233-5096

SEALING WASHER
W/O-RING
ID 18.04MM



233-5096



233-5097

SEALING WASHER
W/ O-RING
ID 15.63MM



233-5097



233-5098

SEALING WASHER
W/O-RING
ID 21.4MM



233-5098



233-5099

SEALING WASHER
CATERPILLAR
ID 11MM



233-5099



233-5100


SEALING WASHER
CATERPILLAR
ID 17.1MM



233-5100

Sealing Washer Master Kit 48 Compartment (233-3000)

233-5020	GASKET DISCHARGE CHRYSLER / NIPPONDENSO 10S ID 14.30MM	5 PK
233-5051	SEALING WASHER 5/8" THICK ID 15MM	5 PK
233-5052	SEALING WASHER 3/4" THIN ID 17.50MM	5 PK
233-5053	SEALING WASHER 5/8" THIN ID 15.50MM	5 PK
233-5054	SEALING WASHER GM GREEN ID 15.30MM	5 PK
233-5055	SEALING WASHER GM RED ID 15.30MM	5 PK
233-5056	SEALING WASHER GM YELLOW ID 15.30MM	5 PK
233-5057	SEALING WASHER SLIMLINE ID 17.91MM OD 27.99MM	5 PK
233-5058	SEALING WASHER 05-06 DODGE ID 17.93MM	5 PK
233-5059	SEALING WASHER CHRY/JEEP 05-06 GREEN ID 9.52MM	5 PK
233-5060	SEALING WASHER SLIMLINE GM ID 8MM	5 PK
233-5061	SEALING WASHER SLIMLINE GM ID 11.10MM	5 PK
233-5062	SEALING WASHER SLIMLINE GM ID 17.20MM	5 PK
233-5063	SEALING WASHER SLIMLINE GM ID 15.50MM	5 PK
233-5064	SEALING WASHER MSF RED 5/8"	5 PK
233-5065	SEALING WASHER MSF 1/2"	5 PK
233-5066	SEALING WASHER MSF 8MM	5 PK
233-5069	SEALING WASHER SLIMLINE GREEN ID 7.92MM	5 PK
233-5070	SEALING WASHER GREEN ID 8.26MM	5 PK
233-5071	SEALING WASHER SLIMLINE GREEN ID 11.18MM	5 PK
233-5072	SEALING WASHER STAT-O-SEAL ID 11.23MM	5 PK
233-5073	SEALING WASHER SLIMLINE ID 13.31MMWASHER	5 PK
233-5074	SEALING WASHER STAT-O-SEAL ID 14.22MM 1 EA	5 PK
233-5076	SEALING WASHER SLIMLINE ID 14.91MM	5 PK
233-5077	SEALING WASHER SLIMLINE ID 14.99MM	5 PK
233-5078	SEALING WASHER STAT-O-SEAL ID 15.37MM	5 PK
233-5079	SEALING WASHER SLIMLINE ID 15.50MM	5 PK
233-5080	SEALING WASHER SLIMLINE ID 17.07MM	5 PK
233-5081	SEALING WASHER SLIMLINE ID 17.15MM	5 PK
233-5082	SEALING WASHER SLIMLINE ID 17.15MM	5 PK
233-5083	SEALING WASHER STAT-O-SEAL ID 17.27MM	5 PK
233-5084	SEALING WASHER SLIMLINE ID 17.53MM	5 PK
233-5085	SEALING WASHER SLIMLINE ID 19.55MM	5 PK
233-5086	SEALING WASHER HONDA ID 8MM	5 PK
233-5087	SEALING WASHER HONDA ID 15MM	5 PK
233-5088	SEALING WASHER HONDA ID 1/2IN	5 PK
233-5089	SEALING WASHER HONDA ID 5/8IN	5 PK
233-5090	GASKET DRIER W/O-RING ID 10.31MM	5 PK
233-5091	GASKET SUCTION W/O-RING CHRYSLER ID 13.59MM	5 PK
233-5092	GASKET DISCHARGE W/2 O-RINGS ID 11.51MM	5 PK
233-5093	GASKET SUCTION W/O-RING ID 16.MM	5 PK
233-5094	SEALING WASHER W/O-RING CHRYSLER ID 15.11MM	5 PK
233-5095	SEALING WASHER W/O-RING ID 15.07MM	5 PK
233-5096	SEALING WASHER W/O-RING ID 18.04MM	5 PK
233-5097	SEALING WASHER W/ O-RING ID 15.63MM	5 PK
233-5098	SEALING WASHER W/O-RING ID 21.4MM	5 PK
233-5099	SEALING WASHER CATERPILLAR ID 11MM	5 PK
233-5100	SEALING WASHER CATERPILLAR ID 17.1MM	5 PK




233-4002

GASKET MOLDED
NIPP 10PA15/10PA17
SERIES



233-4002




233-4008

GASKET MOLDED
BMW/NIPPONDENSO



233-4008




233-4011

GASKET MOLDED
MERCEDES/NIPPONDENSO



233-4011



233-4012

GASKET MOLDED
W/TABS MERCEDES



233-4012



233-4016

GASKET WASHER
METAL DUAL
O-RING GM #8



233-4016



233-4017

GASKET WASHER
DUAL O-RING
GM #10



233-4017



233-5003

GASKET BOTTLE
BLOCK BOLT
(.377) METAL



233-5003



233-5004

GASKET BOTTLE
BLOCK BOLT
(.437) METAL



233-5004



233-5005

GASKET CHRYSLER
SUCTION
LINE METAL



233-5005



233-5007

GASKET 6 C/17
DISCHARGE
PORT METAL



233-5007



233-5010

GASKET 6 C/17
SUCTION
PORT METAL



233-5010



233-5012

GASKET CHRYSLER
SUCTION
H-TYPE



233-5012



233-5013

GASKET CONDENSER
MANIFOLD
METAL



233-5013



233-5014

GASKET EXP VALVE
TO EVAP OR GOLD
BLOCKS METAL



233-5014



233-5015

GASKET EXP VALVE
TO EVAP FOR GOLD OR
BLACK BLOCKS METAL



233-5015



233-5016

GASKET SUCTION
DISCHARGE
PORT METAL



233-5016

GASKET KIT (233-5024)



233-5017

GASKET SUCTION
LINE METAL



233-5017



233-5018

CHRYSLER 10S
COMPR MANIFOLD
DISCH AND SUCTION KIT



233-5018



233-5027

EXPANSION VALVE
PLASTIC PILOT
SMALL



233-5027



233-5028

EXPANSION VALVE
PLASTIC PILOT
LARGE



233-5028



233-5022

GASKET YORK
& TECUMSEH FLANGE
SERVICE VALVE



233-5022



233-5090

GASKET DRIER
W/O-RING
ID 10.31MM



233-5090



233-5091

GASKET SUCTION
W/O-RING CHRYLSE
ID 13.59MM



233-5091



233-5093

GASKET SUCTION
W/O-RING
ID 16MM



233-5093

Master Chrysler Metal Gasket Master Kit (233-5024)

233-4002	GASKET MOLDED GREEN NIPP 10PA15/10PA17 SERIES	5 PK
233-4008	GASKET MOLDED BMW/NIPPONDENSO	5 PK
233-4011	GASKET MOLDED MERCEDES/NIPPONDENSO	5 PK
233-4012	GASKET MOLDED W/TABS MERCEDES	5 PK
233-4016	GASKET WASHER METAL DUAL O-RING GM #8 (1/2IN)	5 PK
233-4017	GASKET WASHER DUAL O-RING GM #10 (5/8IN)	5 PK
233-5003	GASKET BOTTLE BLOCK BOLT (.377) METAL	5 PK
233-5004	GASKET BOTTLE BLOCK BOLT (.437) METAL	5 PK
233-5005	GASKET CHRYSLER SUCTION LINE METAL	5 PK
233-5007	GASKET 6 C/17 DISCHARGE PORT METAL	5 PK
233-5010	GASKET 6 C/17 SUCTION PORT METAL	5 PK
233-5012	GASKET CHRYSLER SUCTION H-TYPE	5 PK
233-5013	GASKET CONDENSER MANIFOLD METAL	5 PK
233-5014	GASKET EXP VALVE TO EVAP OR GOLD BLOCKS METAL	5 PK
233-5015	GASKET EXP VALVE TO EVAP FOR GOLD OR BLK BLOCKS METAL	5 PK
233-5016	GASKET SUCTION DISCHARGE PORT METAL	5 PK
233-5017	GASKET SUCTION LINE METAL	5 PK
233-5018	CHRYSLER 10S COMPR MANIFOLD DISCH AND SUCTION KIT	5 PK
233-5027	EXPANSION VALVE PLASTIC PILOT SMALL	5 PK
233-5028	EXPANSION VALVE PLASTIC PILOT LARGE	5 PK
233-5022	GASKET YORK & TECUMSEH FLANGE SERVICE VALVE 1 EA	5 PK
233-5090	GASKET DRIER W/O-RING ID 10.31MM	5 PK
233-5091	GASKET SUCTION W/O-RING CHRYLSE ID 13.59MM	5 PK
233-5093	GASKET SUCTION W/O-RING ID 16.MM	5 PK



233-6000

SERVICE CAP
R-12 HIGH SIDE
3/16" MALE FLARE



233-6000



233-6001

SERVICE CAP
R12 LOW SIDE
1/4" MALE FLARE



233-6001



233-6005

SERVICE CAP
134A LOW SIDE
13MM M8 X 1.0



233-6005



233-6006

SERVICE CAP
134A HIGH SIDE
16MM M8 X 1.0



233-6006



233-6008

SERVICE CAP 134A LOW SIDE
AEROQUIP RETRO FIT FITTINGS
13MM



233-6008



233-6009

SERVICE CAP 134A HIGH SIDE
AEROQUIP RETRO FIT FITTINGS
16MM



233-6009



233-6012

SERVICE CAP
134A LOW SIDE
13MM EATON SSV



233-6012



233-6013

SERVICE CAP
134A HIGH SIDE
16MM EATON SSV



233-6013



233-6015

SERVICE CAP
134A LOW SIDE
JRA 13MM M9 X 1.0



233-6015



233-6016

SERVICE CAP
134A HIGH SIDE
JRA 16MM M10 X 1.25



233-6016



233-6020

SERVICE CAP
134A LOW SIDE
LIGHT BLUE M9 X 1.0



233-6020



233-6021

SERVICE CAP
134A HIGH SIDE
LIGHT BLUE M10 X 1.25



233-6021



235-6023

SERVICE PORT
PRIMARY SEAL
R12 GM




235-6023



235-6024

FITTING SERVICE PORT
ALUMINUM GM
HIGH SIDE



235-6024



235-6025

FITTING SERVICE PORT
LOW SIDE ALUMINUM
HIGH FLOW GM



235-6025



235-6026

SERVICE PORT
ADAPTER
16MM GM



235-6026

VALVE CORE & CAP KIT (233-6034)



235-6027

PRIMARY SEAL SERVICE PORT
FORD R134A LOW SIDE
10 X 1.25



235-6027



233-7000

VALVE CORE
GM/PETERBILT DIESEL
TRUCK M8



233-7000



233-7001

VALVE CORE
GM LARGE BORE



233-7001



233-7002

VALVE CORE
GM/FORD/JRA
IMPORT



233-7002



233-7003

VALVE CORE
R12 & R134A
STANDARD PORTS



233-7003



233-7004

VALVE CORE
GM/PETERBILT
DIESEL TRUCK M10



233-7004



233-7006

VALVE CORE
RENAULT FRANCE
R134A



233-7006



233-7007

VALVE CORE
LARGE BORE
EUROPEAN



233-7007



233-7009

VALVE CORE
HYUNDAI/KIA
M6 X 0.75



233-7009



242-1498

VALVE CORE
REMOVAL TOOL M8,M10,JRA,
STANDARD VALVE COR



242-1498

Valve Core & Cap Master Kit (233-6034)

233-6000	SERVICE CAP R-12 HIGH SIDE 3/16" MALE FLARE	5 PK
233-6001	SERVICE CAP R12 LOW SIDE 1/4" MALE FLARE	5 PK
233-6005	SERVICE CAP 134A LOW SIDE 13MM M8 X 1.0	5 PK
233-6006	SERVICE CAP 134A HIGH SIDE 16MM M8 X 1.0	5 PK
233-6008	SERVICE CAP 134A LOW SIDE AEROQUIP RETRO FIT FITTINGS 13MM	5 PK
233-6009	SERVICE CAP 134A HIGH SIDE AEROQUIP RETRO FIT FITTINGS 16MM	5 PK
233-6012	SERVICE CAP 134A LOW SIDE 13MM EATON SSV	5 PK
233-6013	SERVICE CAP 134A HIGH SIDE 16MM EATON SSV	5 PK
233-6015	SERVICE CAP 134A LOW SIDE JRA 13MM M9 X 1.0	5 PK
233-6016	SERVICE CAP 134A HIGH SIDE JRA 16MM M10 X 1.25	5 PK
233-6020	SERVICE CAP 134A LOW SIDE LIGHT BLUE M9 X 1.0	5 PK
233-6021	SERVICE CAP 134A HIGH SIDE LIGHT BLUE M10 X 1.25	5 PK
235-6023	SERVICE PORT PRIMARY SEAL R12 GM	2 PK
235-6024	FITTING SERVICE PORT ALUMINUM GM HIGH SIDE	2 PK
235-6025	FITTING SERVICE PORT LOW SIDE ALUMINUM HIGH FLOW GM	2 PK
235-6026	SERVICE PORT ADAPTER 16MM GM	2 PK
235-6027	PRIMARY SEAL SERVICE PORT FORD R134A LOW SIDE 10 X 1.25	5 PK
233-7000	VALVE CORE GM/PETERBILT DIESEL TRUCK M8	5 PK
233-7001	VALVE CORE GM LARGE BORE	5 PK
233-7002	VALVE CORE GM/FORD/JRA IMPORT	5 PK
233-7003	VALVE CORE R12 & R134A STANDARD PORTS	10 PK
233-7004	VALVE CORE GM/PETERBILT DIESEL TRUCK M10	5 PK
233-7006	VALVE CORE RENAULT FRANCE R134A	5 PK
233-7007	VALVE CORE LARGE BORE EUROPEAN	5 PK
233-7009	VALVE CORE HYUNDAI/KIA M6 X 0.75	5 PK
242-1498	VALVE CORE REMOVAL TOOL M8,M10,JRA, STANDARD VALVE COR	5 PK

CAP KIT (233-6030)



233-6000

SERVICE CAP
R-12 HIGH SIDE 3/16"
MALE FLARE



233-6000



233-6001

SERVICE CAP
R-12 LOW SIDE 1/4"
MALE FLARE



233-6001



233-6005

SERVICE CAP
134A LOW SIDE
13MM M8 X 1.0



233-6005



233-6006

SERVICE CAP
134A HIGH SIDE
16MM M8 X 1.0



233-6006



233-6008

SERVICE CAP
134A LOW SIDE AEROQUIP
RETRO FIT FITTINGS 13MM



233-6008



233-6009

SERVICE CAP
134A HIGH SIDE AEROQUIP
RETRO FIT FITTINGS 16MM



233-6009



233-6012

SERVICE CAP
134A LOW SIDE
13MM EATON SSV



233-6012



233-6013

SERVICE CAP
134A HIGH SIDE
16MM EATON SSV



233-6013



233-6020

SERVICE CAP
134A LOW SIDE LIGHT
BLUE M9 X 1.0



233-6020



233-6021

SERVICE CAP
134A HIGH SIDE
LIGHT BLUE M10 X 1.25



233-6021



233-6015

SERVICE CAP
134A LOW SIDE JRA
13MM M9 X 1.0



233-6015



233-6016

SERVICE CAP
134A HIGH SIDE JRA
16MM M10 X 1.25



233-6016

Service Cap Assortment Kit (233-6030)

233-6000	SERVICE CAP R-12 HIGH SIDE 3/16" MALE FLARE	5 PK
233-6001	SERVICE CAP R-12 LOW SIDE 1/4" MALE FLARE	5 PK
233-6005	SERVICE CAP 134A LOW SIDE 13MM M8 X 1.0	5 PK
233-6006	SERVICE CAP 134A HIGH SIDE 16MM M8 X 1.0	5 PK
233-6008	SERVICE CAP 134A LOW SIDE AEROQUIP RETRO FIT FITTINGS 13MM	5 PK
233-6009	SERVICE CAP 134A HIGH SIDE AEROQUIP RETRO FIT FITTINGS 16MM	5 PK
233-6012	SERVICE CAP 134A LOW SIDE 13MM EATON SSV	5 PK
233-6013	SERVICE CAP 134A HIGH SIDE 16MM EATON SSV	5 PK
233-6020	SERVICE CAP 134A LOW SIDE LIGHT BLUE M9 X 1.0	5 PK
233-6021	SERVICE CAP 134A HIGH SIDE LIGHT BLUE 5 PACK	5 PK
233-6015	SERVICE CAP 134A LOW SIDE JRA 13MM M9 X 1.0	5 PK
233-6016	SERVICE CAP 134A HIGH SIDE JRA 16MM M10 X 1.25	5 PK

VALVE CORE KIT (233-7010)



233-7000

VALVE CORE
GM/PETERBILT DIESEL
TRUCK M8



233-7000



233-7001

VALVE CORE
LARGE BORE
GM



233-7001



233-7002

VALVE CORE
JRA IMP
GM/FORD



233-7002



233-7003

VALVE CORE
R12 & R134A
STANDARD PORTS



233-7003



233-7004

VALVE CORE
GM/PETERBILT DIESEL
TRUCK M10



233-7004



233-7005

VALVE CORE
M8 PEUGOT/VOLVO



233-7005



233-7006

VALVE CORE
RENAULT FRANCE
R134A



233-7006



233-7008

VALVE CORE
R12 & R134A STANDARD
PORTS LOW PRESSURE



233-7008

Valve Core Assortment Kit Master (233-7010)

233-7000	VALVE CORE GM/PETERBILT DIESEL TRUCK M8	5 PK
233-7001	VALVE CORE LARGE BORE GM	5 PK
233-7002	VALVE CORE JRA IMP GM/FORD	5 PK
233-7003	VALVE CORE R12 & R134A STANDARD PORTS	10 PK
233-7004	VALVE CORE GM/PETERBILT DIESEL TRUCK M10	5 PK
233-7005	VALVE CORE M8 PEUGOT/VOLVO	5 PK
233-7006	VALVE CORE RENAULT FRANCE R134A	5 PK
233-7008	VALVE CORE R12 & R134A STANDARD PORTS LOW PRESSURE	5 PK


233-7001

VALVE CORE
GM LARGE BORE



233-7001


233-7000

VALVE CORE
GM/PETERBILT DIESEL
TRUCK M8



233-7000


233-7002

VALVE CORE
JRA IMP
GM/FORD



233-7002


233-7003

VALVE CORE
STANDARD LOW
& HI-SIDE



233-7003


233-7004

VALVE CORE
GM/PETERBILT DIESEL
TRUCK M10



233-7004


233-7005

VALVE CORE
M8 PEUGOT/VOLVO



233-7005


233-7007

VALVE CORE
LARGE BORE EUROPEAN



233-7007


233-7009

VALVE CORE
HYUNDAI/KIA
M6 X 0.75



233-7009


242-1448

R1234YF SOCKET



242-1448


242-1449

R134A SOCKET



242-1449


242-1498

VALVE CORE REMOVAL TOOL
M8, M10, JRA,
STANDARD VALVE CORE




242-1498


233-6024

R134A HI-SIDE
PRIMARY SEAL




233-6024


233-6025

R134A LOW-SIDE
PRIMARY SEAL



233-6025


233-6026

R134A HI-SIDE
PRIMARY SEAL
KIT




233-6026


233-6027

R1234YF
LOW-SIDE
PRIMARY SEAL KIT




233-6027


233-6116


R1234YF
HI-SIDE
PRIMARY SEAL




233-6116

**233-6104**CAP
M8 X 1.0 SHORT POST
LOW SIDE


233-6104

**233-6105**CAP
M8 X 1.0 LONG POST
LOW SIDE


233-6105

**233-6106**CAP
M9 X 1.0 SHORT POST
LOW SIDE


233-6106

**233-6107**CAP
M10 X 1.25 SHORT POST
HI-SIDE

233-6107

**233-6108**CAP
M10 X .75 LONG POST
HI-SIDE

233-6108

**233-6114**CAP
M10 X 1.0 SHORT POST
HI-SIDE

233-6114

**233-6103**

CAP TETHER



233-6103

1234yf Caps & Valve Core Assortment Kit (233-6101)

233-7001	VALVE CORE GM LARGE BORE	5 PK
233-7000	VALVE CORE GM/PETERBILT DIESEL TRUCK M8	5 PK
233-7002	VALVE CORE JRA IMP GM/FORD	5 PK
233-7003	STANDARD LOW & HI-SIDE VALVE CORE	5 PK
233-7004	VALVE CORE GM/PETERBILT DIESEL TRUCK M10	5 PK
233-7005	VALVE CORE M8 PEUGOT/VOLVO	5 PK
233-7007	VALVE CORE LARGE BORE EUROPEAN	5 PK
233-7009	VALVE CORE HYUNDAI/KIA M6 X 0.75	5 PK
242-1448	R1234YF SOCKET	1 PK
242-1449	R134A SOCKET	1 PK
242-1498	VALVE CORE REMOVAL TOOL M8, M10, JRA, STANDARD VALVE CORE	1 PK
233-6024	R134A HI-SIDE PRIMARY SEAL	2 PK
233-6025	R134A LOW-SIDE PRIMARY SEAL	2 PK
233-6026	R134A HI-SIDE PRIMARY SEAL KIT	KIT
233-6027	R1234YF LOW-SIDE PRIMARY SEAL KIT	KIT
233-6116	R1234YF HI-SIDE PRIMARY SEAL	KIT
233-6104	CAP M8 X 1.0 SHORT POST LOW SIDE	5 PK
233-6105	CAP M8 X 1.0 LONG POST LOW SIDE	5 PK
233-6106	CAP M9 X 1.0 SHORT POST LOW SIDE	5 PK
233-6107	CAP M10 X 1.25 SHORT POST HI-SIDE	5 PK
233-6108	CAP M10 X .75 LONG POST HI-SIDE	5 PK
233-6103	CAP TETHER	5 PK



233-3151

SPRINGLOCK
GARTER SPRING
#6 (3/8")



233-3151



233-3156

SPRINGLOCK
GARTER SPRING
#8 (1/2") CHRY/FORD



233-3156



233-3161

SPRINGLOCK
GARTER SPRING
#10 (5/8") CHRY/FORD



233-3161



233-3166

SPRINGLOCK
GARTER SPRING
#12 (3/4")



233-3166



233-3150

O-RING SPRINGLOCK #6 METRIC
CHRY/FORD/HYU/MAZ/JAG
ID 0.291 (7.38MM)
OD 0.433 (11MM)



233-3150



233-3155

O-RING SPRINGLOCK #8 METRIC
FORD
ID 0.40 (10.12MM)
OD 0.546 (13.87MM)



233-3155



233-3160

O-RING SPRINGLOCK #10
(5/8")
ID 0.509 (12.93MM)
OD 0.656 (16.68MM)



233-3160



233-3165

O-RING SPRINGLOCK #12 (3/4")
JEEP/CHRYSLER
ID 0.617 (15.67MM)
OD 0.769 (19.53MM)



233-3165

Springlock & O-Ring Kit Chrysler/Ford 60 Pieces (233-3170)

233-3151	SPRINGLOCK GARTER SPRING #6 (3/8")	5 PK
233-3156	SPRINGLOCK GARTER SPRING #8 (1/2") CHRY/FORD	5 PK
233-3161	SPRINGLOCK GARTER SPRING #10 (5/8") CHRY/FORD	5 PK
233-3166	SPRINGLOCK GARTER SPRING #12 (3/4")	5 PK
233-3150	O-RING SPRINGLOCK #6 METRIC CHRY/FORD/HYU/MAZ/JAG ID 0.291 (7.38MM) OD 0.433 (11MM)	10 PK
233-3155	O-RING SPRINGLOCK #8 METRIC FORD ID 0.40 (10.12MM) OD 0.546 (13.87MM)	10 PK
233-3160	O-RING SPRINGLOCK #10 (5/8") ID 0.509 (12.93MM) OD 0.656 (16.68MM)	10 PK
233-3165	O-RING SPRINGLOCK #12 (3/4") JEEP/CHRYSLER ID 0.617 (15.67MM) OD 0.769 (19.53MM)	10 PK



Authorized Distributor:

CATALOG #OR2022
Effective Date January , 2022